



243 Jubug-ri, Yangji-myeon, Cheoin-gu, Yongin-si, Gyeonggi-do 449-822, Korea
 Tel: +82-31-323-6008 Fax: +82-31-323-6010
<http://www.ltalab.com>

EMC TEST REPORT

Dates of Tests: June 19-21, 2017
 Test Report S/N: LR500121906F
 Test Site : LTA Co., Ltd.

Model No.

NC-CF620-DP

APPLICANT

IDIS CO., LTD.

Manufacturing Description : Network Camera
Manufacturer : IDIS CO., LTD.
Model name : NC-CF620-DP
Additional model name : NC-CF620-DP-F1, DC-V3213XJ-4.3mm, MNC5260P,
 DC-V3213XJ-2.5mm, NC-CF620-DP-F1, NU-F620-P,
 NU-CF620-D, NU-CF620-D-F1, DC-V3213XJ-4.0mm,
 NC-CF620-DP-F2
Test Device Serial No.: : Identification
Directive : Electromagnetic Compatibility Directive 2014/30/EU
Rule Part(s) : EN 55032:2015
 EN 50130-4:2011+A1:2014
 EN 61000-3-2:2014
 EN 61000-3-3:2013
Data of reissue : June 13, 2019

This test report is issued under the authority of:

The test was supervised by:

Young Kyu Shin, Technical Manager

Min gi Kang, Test Engineer

This test result only responds to the tested sample. It is not allowed to copy this report even partly without the allowance of the test laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.



Revision	Date of issue	Test report No.	Description
0	06.26.2017	LR500121706P	Initial
1	13.06.2019	LR500121906F	Add Additional Model (DC-V3213XJ-4.0mm, NC-CF620-DP-F2)

TABLE OF CONTENTS

1. GENERAL INFORMATION'S	4
2. INFORMATION'S ABOUT TEST ITEM	5
3. TEST REPORT	7
3.1 SUMMARY OF TESTS	7
3.2 EMISSION	8
3.2.1 Disturbance Voltage at the mains terminals	8
3.2.2 Radiated disturbances	14
3.2.3 Harmonic Current Emissions	20
3.2.4 Voltage Fluctuations and Flicker	21
3.3 IMMUNITY	22
3.3.1 Electrostatic discharge.....	22
3.3.2 RF Electromagnetic Field	23
3.3.3 Electrical fast transients	24
3.3.4 Surge.....	25
3.3.5 Conducted Disturbances, Induced by Radio-Frequency Fields	27
3.3.6 Main supply voltage dips, short interruptions	28
3.3.7 Main supply voltage variations	29
 APPENDIX	
APPENDIX A TEST EQUIPMENT USED FOR TESTS	30
APPENDIX B PERFORMANCE CRITERIA	33
APPENDIX C MEASUREMENT UNCERTAINTY	36
APPENDIX D PHOTOGRAPH	39

1. General information's

1-1 Test Performed

Company name : **LTA Co., Ltd.**
 Address : 243, Jubug-ri, Yangji-Myeon, Yongin-Si, Kyunggi-Do, Korea. 449-822
 Web site : <http://www.ltalab.com>
 E-mail : chahn@ltalab.com
 Telephone : +82-31-323-6008
 Facsimile : +82-31-323-6010

Quality control in the testing laboratory is implemented as per ISO/IEC 17025 which is the “General requirements for the competents of calibration and testing laboratory”.

1-2 Accredited agencies

LTA Co., Ltd. is approved to perform EMC testing by the following agencies:

Agency	Country	Accreditation No.	Validity	Reference
NVLAP	U.S.A	200723-0	2017-09-30	ECT accredited Lab.
RRA	KOREA	KR0049	-	EMC accredited Lab.
FCC	U.S.A	649054	2019-04-13	FCC CAB
VCCI	JAPAN	R-2133(10 m), C-2307	2017-06-21	VCCI registration
VCCI	JAPAN	T-2009	2017-12-23	VCCI registration
VCCI	JAPAN	G-847	2018-12-13	VCCI registration
IC	CANADA	5799A-1	2019-11-07	IC filing
KOLAS	KOREA	NO.551	2017-01-08	KOLAS accredited Lab.

2. Information's about test item

2-1 Client/ Manufacturer

Company name : IDIS CO., LTD.
 Address : 8-10, TECHNO 3-RO, YUSEONG-GU, DAEJEON, KOREA
 Telephone / Facsimile : +82-31-723-5205 / +82-31-723-5108

Factory 1

Company name : IDIS CO., LTD.
 Address : 8-10, TECHNO 3-RO, YUSEONG-GU, DAEJEON, KOREA

2-2 Equipment Under Test (EUT)

Class : A
 Category : Network Camera
 Model name : NC-CF620-DP
 Additional Model Name : NC-CF620-DP-F1, DC-V3213XJ-4.3mm, DC-V3213XJ-2.5mm,
 NC-CF620-DP-F1, MNC5260P, NU-F620-P, NU-CF620-D, NU-CF620-D-F1,
 DC-V3213XJ-4.0mm, NC-CF620-DP-F2
 Serial number : Identification
 Date of receipt : May 19, 2017
 EUT condition : Pre-production, not damaged
 Interface ports : Micro SD Card Slot, Audio IN, Audio OUT, ALARAM, LAN #1, LAN #2, DC IN
 Power rating : DC 12 V (DC mode), DC 48 V (POE mode)
 Modulator : -
 Crystal/Oscillator(s) : -
 Firmware version : XXXX

2-3 Modification

-NONE

2-4 Model Specification

-NONE

2-5 Test conditions

Temp. / Humid. / Pressure : +(24-26) °C / (44-51) %RH / (100.6-100.7) kPa
 Tested Model : NC-CF620-DP
 Test mode : Recording mode
 Power supply : AC 230 V / 50 Hz

2-6 Ancillary Equipment

MODE : Recording mode (DC)

Equipment	Model No.	Serial No.	Manufacturer
Notebook	PP37L	N/A	DELL
Mobile Phone	SCH-E330S	N/A	Samsung
Speaker	N/A	N/A	N/A
Micro SD Card	N/A	N/A	N/A
Adapter	SW48-12003500-W	N/A	POWER-TEK

MODE : Recording mode (POE)

Equipment	Model No.	Serial No.	Manufacturer
Notebook	PP37L	N/A	DELL
Mobile Phone	SCH-E330S	N/A	Samsung
Speaker	N/A	N/A	N/A
Micro SD Card	N/A	N/A	N/A
POE Injector	PSE305	N/A	N/A

3. Test Report

3.1 Summary of tests

Parameter	Applied Standard	Status
I. Emission		
Radiated Emission	EN 55032:2015	C
Conducted Emission	EN 55032:2015	C
Harmonic Current Emission	EN 61000-3-2:2014	C
Voltage Fluctuations and Flicker	EN 61000-3-3:2013	C
II. Immunity		
Electrostatic Discharge	EN 61000-4-2:2009	C
RF Electromagnetic field	EN 61000-4-3:2006/A2:2010	C
Fast Transients Common mode	EN 61000-4-4:2012	C
Surges, line to line and line to ground	EN 61000-4-5:2014	C
RF common mode	EN 61000-4-6:2014	C
Voltage dips and Interruptions	EN 61000-4-11:2004	C
Main supply voltage variations	EN 50130-4:2011	C

Note 1: C=Complies NC=Not Complies NT=Not Tested NA=Not Applicable

Note 2: The device is operated by DC Power.

Note 3: The data in this test report are traceable to the national or international standards.

3.2 EMISSION

3.2.1 Conducted emissions

Definition:

The test assesses the ability of the EUT to limit its internal noise from being present on the AC mains Power In/Output ports.

We were performed the test according to LTA procedure LTA-QI-04.

Measurement Frequency range	:	150 kHz - 30MHz
Test method	:	EN 55032:2015
Measurement RBW	:	9 kHz
Test mode	:	Recording mode
Result	:	Complies

Measurement Data:

- Refer to the Next page (Maximum emission configuration)
- No other emissions were detected at a level greater than 20 dB below limit

A sample calculation:

COR. F (correction factor)= LISN Insertion loss + Cable loss

Emission Level= meter reading + COR.F

Limits for conducted disturbance at the mains ports of class A ITE

Frequency Range	Quasi-peak	Average
(0.15 – 0.5) MHz	79 dBuV	66 dBuV
(0.5 – 30) MHz	73 dBuV	60 dBuV

Note: The limits will decrease with the frequency logarithmically within 0.15MHz to 0.5MHz

Limits for conducted disturbance at the mains ports of class B ITE

Frequency Range	Quasi-peak	Average
(0.15 – 0.5) MHz	(66 – 56) dBuV	(56 - 46) dBuV
(0.5 – 5) MHz	56 dBuV	46 dBuV
(5 – 30) MHz	60 dBuV	50 dBuV

Note: The limits will decrease with the frequency logarithmically within 0.15 MHz to 0.5 MHz

TEST EQUIPMENT USED: 01, 02, 03, 07, 08, 09, 10

Limits of conducted common mode (asymmetric mode) disturbance at telecommunication ports in the frequency range 0.15 MHz to 30 MHz for class A equipment

Frequency Range	Voltage limits		Current limits	
	Quasi-peak	Average	Quasi-peak	Average
(0.15 – 0.5) MHz	(97 – 87) dBuV	(84 – 74) dBuV	(53 – 43) dBuV	(40 – 30) dBuV
(0.5 – 30) MHz	87 dBuV	74 dBuV	43 dBuV	30 dBuV

Note 1: The limits decrease linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

Note 2: The current and voltage disturbance limits are derived for use with an impedance stabilization network (ISN) which presents a common mode (asymmetric mode) impedance of 150Ω to the telecommunication port under test (conversion factor is $20 \log_{10} 150/I = 44$ dB)

Limits of conducted common mode (asymmetric mode) disturbance at telecommunication ports in the frequency range 0.15 MHz to 30 MHz for class B equipment

Frequency Range	Voltage limits		Current limits	
	Quasi-peak	Average	Quasi-peak	Average
(0.15 – 0.5) MHz	(84 – 74) dBuV	(74 – 64) dBuV	(40 – 30) dBuV	(30 – 20) dBuV
(0.5 – 30) MHz	74 dBuV	64 dBuV	30 dBuV	20 dBuV

Note 1: The limits decrease linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

Note 2: The current and voltage disturbance limits are derived for use with an impedance stabilization network (ISN) which presents a common mode (asymmetric mode) impedance of 150Ω to the telecommunication port under test (conversion factor is $20 \log_{10} 150/I = 44$ dB)

TEST EQUIPMENT USED: 01, 02, 03, 07, 08, 09, 10


Conducted emissions (LINE) / Recording mode (DC)



4, Songjuro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : LINE
 Test Mode : Recording mode (DC) Test Power : 230 / 50
 Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1523 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1531) Date: 2017-06-19



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
0.155	62.29	40.26	10.10	72.39	50.36	79.00	66.00	6.61	15.64
0.159	61.37	40.51	10.10	71.47	50.61	79.00	66.00	7.53	15.39
0.171	62.36	41.86	10.10	72.46	51.96	79.00	66.00	6.54	14.04
0.182	61.63	41.05	10.10	71.73	51.15	79.00	66.00	7.27	14.85
0.189	62.46	42.27	10.09	72.55	52.36	79.00	66.00	6.45	13.64
0.210	61.64	41.27	10.10	71.74	51.37	79.00	66.00	7.26	14.63

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (NEUTRAL) / Recording mode (DC)



4, Songju-ro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : NEUTRAL
 Test Mode : Recording mode (DC) Test Power : 230 / 50
 Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1519 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1531) Date: 2017-06-19



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
0.159	61.43	40.50	10.15	71.58	50.65	79.00	66.00	7.42	15.35
0.163	62.94	42.23	10.15	73.09	52.38	79.00	66.00	5.91	13.62
0.167	63.09	42.78	10.16	73.25	52.94	79.00	66.00	5.75	13.06
0.184	62.48	41.83	10.16	72.64	51.99	79.00	66.00	6.36	14.01
0.192	62.29	41.88	10.16	72.45	52.04	79.00	66.00	6.55	13.96
0.202	61.59	40.96	10.17	71.76	51.13	79.00	66.00	7.24	14.87

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (TEL_10 M) / Recording mode (DC, LAN #1)



4, Songjuro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : TEL_10M
 Test Mode : Recording mode (DC, LAN#1) Test Power : 230 / 50
 Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1543 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1543)



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
11.340	34.10	29.30	19.87	53.97	49.17	87.00	74.00	33.03	24.83
11.587	35.23	30.11	19.87	55.10	49.98	87.00	74.00	31.90	24.02
11.588	35.08	30.04	19.87	54.95	49.91	87.00	74.00	32.05	24.09
11.893	34.60	29.35	19.88	54.48	49.23	87.00	74.00	32.52	24.77
11.894	34.43	29.27	19.88	54.31	49.15	87.00	74.00	32.69	24.85
29.815	22.76	17.65	20.53	43.29	38.18	87.00	74.00	43.71	35.82

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (TEL_1000 M) / Recording mode (DC, LAN #1)



4, Songjuro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : TEL_1000M
Test Mode : Recording mode (DC, LAN#1) Test Power : 230 / 50
Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1547 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1547) Date: 2017-06-19



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
10.882	30.01	24.88	19.44	49.45	44.32	87.00	74.00	37.55	29.68
11.585	35.11	30.10	19.46	54.57	49.56	87.00	74.00	32.43	24.44
11.588	35.18	30.18	19.46	54.64	49.64	87.00	74.00	32.36	24.36
11.712	34.77	29.69	19.46	54.23	49.15	87.00	74.00	32.77	24.85
11.893	34.59	29.41	19.47	54.06	48.88	87.00	74.00	32.94	25.12
12.135	32.97	27.71	19.47	52.44	47.18	87.00	74.00	34.56	26.82

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (TEL_10 M) / Recording mode (DC, LAN #2)



4, Songjuro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : TEL_10M
 Test Mode : Recording mode (DC, LAN#2) Test Power : 230 / 50
 Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1551 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1551)



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
11.536	17.34	12.48	19.87	37.21	32.35	87.00	74.00	49.79	41.65
11.748	17.77	12.87	19.88	37.65	32.75	87.00	74.00	49.35	41.25
11.780	17.50	12.63	19.88	37.38	32.51	87.00	74.00	49.62	41.49
21.504	18.83	17.18	20.21	39.04	37.39	87.00	74.00	47.96	36.61
27.001	20.63	19.13	20.42	41.05	39.55	87.00	74.00	45.95	34.45
29.685	13.64	7.12	20.53	34.17	27.65	87.00	74.00	52.83	46.35

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (TEL_1000 M) / Recording mode (DC, LAN #2)



4, Songjuro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : TEL_1000M
Test Mode : Recording mode (DC, LAN#2) Test Power : 230 / 50
Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1555 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1555)



Freq	RD	RD	C.F	Result	Result	Limit	Limit	Margin	Margin
MHz	QP	AV		QP	AV	QP	AV	QP	AV
	dBuV	dBuV	dB	dBuV	dBuV	dBuV	dBuV	dB	dB
11.596	17.50	12.77	19.46	36.96	32.23	87.00	74.00	50.04	41.77
11.691	17.57	12.62	19.46	37.03	32.08	87.00	74.00	49.97	41.92
15.360	18.26	13.87	19.53	37.79	33.40	87.00	74.00	49.21	40.60
27.000	20.81	19.38	19.74	40.55	39.12	87.00	74.00	46.45	34.88
27.897	12.06	5.29	19.75	31.81	25.04	87.00	74.00	55.19	48.96
30.000	13.00	8.10	19.79	32.79	27.89	87.00	74.00	54.21	46.11

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (TEL_10 M) / Recording mode (DC, LAN #3)



4, Songjuro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : TEL_10M
 Test Mode : Recording mode (DC, LAN#3) Test Power : 230 / 50
 Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1576 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1576)



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
0.617	40.43	32.98	19.78	60.21	52.76	87.00	74.00	26.79	21.24
1.437	38.86	26.97	19.66	58.52	46.63	87.00	74.00	28.48	27.37
1.731	37.68	25.65	19.63	57.31	45.28	87.00	74.00	29.69	28.72
1.749	38.81	28.82	19.63	58.44	48.45	87.00	74.00	28.56	25.55
1.843	38.86	28.74	19.62	58.48	48.36	87.00	74.00	28.52	25.64
2.373	37.37	25.85	19.59	56.96	45.44	87.00	74.00	30.04	28.56

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (TEL_1000 M) / Recording mode (DC, LAN #3)



4, Songjuro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : TEL_1000M
Test Mode : Recording mode (DC, LAN#3) Test Power : 230 / 50
Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1580 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1580) Date: 2017-06-19



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
0.614	40.04	32.80	19.37	59.41	52.17	87.00	74.00	27.59	21.83
0.619	39.99	31.53	19.37	59.36	50.90	87.00	74.00	27.64	23.10
1.845	38.86	28.71	19.21	58.07	47.92	87.00	74.00	28.93	26.08
2.163	39.82	27.37	19.19	59.01	46.56	87.00	74.00	27.99	27.44
2.243	38.07	25.88	19.19	57.26	45.07	87.00	74.00	29.74	28.93
2.471	37.89	26.55	19.18	57.07	45.73	87.00	74.00	29.93	28.27

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (LINE) / Recording mode (POE)



4, Songjuro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : LINE
 Test Mode : Recording mode (PoE) Test Power : 230 / 50
 Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1597 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1597) Date: 2017-06-19



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
6.754	44.98	38.38	10.40	55.38	48.78	73.00	60.00	17.62	11.22
7.453	46.46	38.12	10.43	56.89	48.55	73.00	60.00	16.11	11.45
7.524	45.83	34.78	10.45	56.28	45.23	73.00	60.00	16.72	14.77
8.062	47.22	38.90	10.47	57.69	49.37	73.00	60.00	15.31	10.63
8.091	47.61	38.71	10.47	58.08	49.18	73.00	60.00	14.92	10.82
8.153	45.07	36.49	10.48	55.55	46.97	73.00	60.00	17.45	13.03

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (NEUTRAL) / Recording mode (POE)



4, Songjuro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : NEUTRAL
 Test Mode : Recording mode (PoE) Test Power : 230 / 50
 Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1592 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1592) Date: 2017-06-19



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
6.816	44.22	35.36	10.44	54.66	45.80	73.00	60.00	18.34	14.20
7.341	45.92	38.38	10.46	56.38	48.84	73.00	60.00	16.62	11.16
7.460	45.76	35.96	10.47	56.23	46.43	73.00	60.00	16.77	13.57
7.512	44.73	34.30	10.47	55.20	44.77	73.00	60.00	17.80	15.23
7.539	43.91	33.50	10.48	54.39	43.98	73.00	60.00	18.61	16.02
8.032	44.35	32.58	10.49	54.84	43.07	73.00	60.00	18.16	16.93

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (TEL_10 M) / Recording mode (POE, LAN #1)



4, Songjuro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : TEL_10M
 Test Mode : Recording mode (PoE, LAN#1) Test Power : 230 / 50
 Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1629 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1629) Date: 2017-06-19



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
6.055	48.59	40.00	19.69	68.28	59.69	87.00	74.00	18.72	14.31
6.110	48.36	39.66	19.69	68.05	59.35	87.00	74.00	18.95	14.65
6.718	48.30	40.62	19.71	68.01	60.33	87.00	74.00	18.99	13.67
6.719	49.08	41.49	19.71	68.79	61.20	87.00	74.00	18.21	12.80
6.846	47.04	38.06	19.72	66.76	57.78	87.00	74.00	20.24	16.22
7.379	46.82	36.92	19.73	66.55	56.65	87.00	74.00	20.45	17.35

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (TEL_1000 M) / Recording mode (POE, LAN #1)



4, Songjuro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : TEL_1000M
 Test Mode : Recording mode (PoE,LAN#1) Test Power : 230 / 50
 Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1625 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1625) Date: 2017-06-19



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
6.053	48.33	40.98	19.28	67.61	60.26	87.00	74.00	19.39	13.74
6.681	46.90	37.29	19.30	66.20	56.59	87.00	74.00	20.80	17.41
6.716	46.98	37.18	19.30	66.28	56.48	87.00	74.00	20.72	17.52
7.320	46.63	38.92	19.32	65.95	58.24	87.00	74.00	21.05	15.76
7.377	46.74	38.02	19.32	66.06	57.34	87.00	74.00	20.94	16.66
7.475	48.32	40.91	19.32	67.64	60.23	87.00	74.00	19.36	13.77

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (TEL_10 M) / Recording mode (POE, LAN #2)



4, Songjuro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : TEL_10M
 Test Mode : Recording mode (PoE, LAN#2) Test Power : 230 / 50
 Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1670 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1670) Date: 2017-06-19



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
6.057	44.42	37.24	19.69	64.11	56.93	87.00	74.00	22.89	17.07
6.097	43.74	34.35	19.69	63.43	54.04	87.00	74.00	23.57	19.96
6.192	44.23	37.41	19.69	63.92	57.10	87.00	74.00	23.08	16.90
6.751	43.06	34.78	19.71	62.77	54.49	87.00	74.00	24.23	19.51
7.364	42.43	33.16	19.73	62.16	52.89	87.00	74.00	24.84	21.11
7.393	42.66	32.80	19.73	62.39	52.53	87.00	74.00	24.61	21.47

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (TEL_1000 M) / Recording mode (POE, LAN #2)



4, Songju-ro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : TEL_1000M
Test Mode : Recording mode (PoE, LAN#2) Test Power : 230 / 50
Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1666 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1670) Date: 2017-06-19



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
6.037	43.99	37.10	19.28	63.27	56.38	87.00	74.00	23.73	17.62
6.065	44.22	36.73	19.28	63.50	56.01	87.00	74.00	23.50	17.99
6.189	43.11	34.69	19.28	62.39	53.97	87.00	74.00	24.61	20.03
6.762	43.76	36.47	19.30	63.06	55.77	87.00	74.00	23.94	18.23
6.888	43.01	34.07	19.31	62.32	53.38	87.00	74.00	24.68	20.62
7.435	42.63	32.83	19.32	61.95	52.15	87.00	74.00	25.05	21.85

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (TEL_10 M) / Recording mode (POE, POE)



4, Songju-ro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : TEL_10M
 Test Mode : Recording mode (PoE) Test Power : 230 / 50
 Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1617 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1617) Date: 2017-06-19



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
0.376	44.53	42.27	19.84	64.37	62.11	89.37	76.37	25.00	14.26
0.403	42.40	39.15	19.83	62.23	58.98	88.80	75.80	26.57	16.82
0.897	39.30	32.41	19.73	59.03	52.14	87.00	74.00	27.97	21.86
0.926	39.72	32.35	19.73	59.45	52.08	87.00	74.00	27.55	21.92
0.956	40.12	30.27	19.72	59.84	49.99	87.00	74.00	27.16	24.01
0.980	39.81	32.46	19.72	59.53	52.18	87.00	74.00	27.47	21.82

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter


Conducted emissions (TEL_1000 M) / Recording mode (POE, POE)



4, Songju-ro 236 Beon-gil, Yangji-myeon
Cheoin-gu, Youngin-si, Gyeonggi-do
449-822 Korea
Tel:+82-31-3236008,9
Fax:+82-31-3236010

EUT / Model No. : NC-CF620-DP Phase : TEL_1000M
Test Mode : Recording mode (PoE) Test Power : 230 / 50
Temp. / Humi. : 25 / 48 Test Engineer : LEE H W

Data: 1621 File: D:\Conducted Data\2017\LTA_Conduction_2017_06.EM6 (1621)



Freq MHz	RD QP dBuV	RD AV dBuV	C.F dB	Result QP dBuV	Result AV dBuV	Limit QP dBuV	Limit AV dBuV	Margin QP dB	Margin AV dB
0.376	44.61	42.44	19.42	64.03	61.86	89.37	76.37	25.34	14.51
0.403	42.36	39.21	19.41	61.77	58.62	88.80	75.80	27.03	17.18
0.926	39.83	30.76	19.31	59.14	50.07	87.00	74.00	27.86	23.93
0.956	40.18	30.44	19.31	59.49	49.75	87.00	74.00	27.51	24.25
0.985	39.86	30.17	19.30	59.16	49.47	87.00	74.00	27.84	24.53
1.112	37.83	28.82	19.28	57.11	48.10	87.00	74.00	29.89	25.90

Remarks: C.F (Correction Factor) = Insertion loss + Cable loss + Pulse Limiter

3.2.2 Radiated Emission

Definition:

The test assesses the ability of ancillary equipment to limit their internal noise from being radiated from the enclosure.

We were performed the test according to LTA procedure LTA-QI-04.

Test method	:	EN 55032:2015
Measuring Distance	:	10m
Measurement Frequency range	:	30 MHz – 1 000 MHz
Measurement RBW	:	120 kHz
Test mode	:	Recording mode
Result	:	Complies

Measurement Data:

- Refer to the Next page (Maximum emission configuration)
- No other emissions were detected at a level greater than 20 dB below limit

A sample calculation:

COR. F (correction factor)= Antenna factor + Cable loss- Amp.gain- Distance correction

Emission Level= meter reading + COR.F

Limit of 10 m for below 1 GHz

CLASS A

Frequency Range	Quasi-peak
(30 – 230) MHz	40 dBuV/m
(230 – 1 000) MHz	47 dBuV/m

CLASS B

Frequency Range	Quasi-peak
(30 – 230) MHz	30 dBuV/m
(230 – 1 000) MHz	37 dBuV/m

Limit of 3m for above 1 GHz

CLASS A

Frequency Range	Average Limit @ 3m (dB μ V/m)	Peak limit @ 3m (dB μ V/m)
(1 000 – 3 000) MHz	56	76
(3 000 – 6 000) MHz	60	80
NOTE:	The lower limit applies at the transition frequency.	

CLASS B

Frequency Range	Average Limit @ 3m (dB μ V/m)	Peak limit @ 3m (dB μ V/m)
(1 000 – 3 000) MHz	50	70
(3 000 – 6 000) MHz	54	74
NOTE:	The lower limit applies at the transition frequency.	

TEST EQUIPMENT USED: [13](#), [14](#), [15](#), [19](#), [21](#), [22](#), [23](#)

Radiated Emission (Below 1 GHz) / Recording mode (DC) / H




4, Songjuro 236Beon-gil, yanggi-myeon,
Yongin-si, Gyeonggi-do, Korea
Tel : +82-31-3236008,9
Fax : +82-31-3236010
www.ltalab.com

EUT/Model No.: NC-CF620-DP Temp/Humi: 25 / 49

Test Mode : Recording mode(DC) Tested by: LEE H W

Data: 365 File: C:\Program Files (x86)\e3\1706-1.EM6 (374) Date: 2017-06-20 Time: 20:29:47




Freq MHz	Reading dBuV	C.F dB	Result QP dBuV/m	Limit dBuV/m	Margin dB	Height cm	Angle deg	Polarity
31.94	39.65	-15.01	24.64	40.00	15.36	375	109	HORIZONTAL
51.34	35.27	-13.83	21.44	40.00	18.56	381	152	HORIZONTAL
399.57	43.00	-8.46	34.54	47.00	12.46	348	174	HORIZONTAL

Remarks: C.F (Correction Factor) = Antenna factor + Cable loss - Preamp gain

Radiated Emission (Above 1 GHz) / Recording mode (DC)


EUT/Model No.: NC-CF620-DP	Temp/Humi: 25 / 49

Test Mode : Recording mode (DC)	Tested by: LEE H W



EUT/Model No.: NC-CF620-DP	Temp/Humi: 25 / 49

Test Mode : Recording mode (DC)	Tested by: LEE H W



Manufacture : IDIS CO., LTD
Model : NC-CF620-DP
TEST mode : Recording mode (DC)

Test Date	Temp.:	Humidity:	Barometric
2017.06.20	[°C]	[%]	[mbar]
	25	49	

Freq.(MHz)	Reading(PK)	Reading(AV)	C.F	Result(PK)	Result(AV)	Limit(PK)	Limit(AV)	Margin(PK)	Margin(AV)	Height	Angle	Polarity
MHz	dBuV	dBuV	dB	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg	Hor/Ver
5680.0	29.2	16.1	14.52	43.70	30.57	80.0	60.0	36.30	29.43	357	132	H
5850.0	29.1	15.8	14.86	43.95	30.70			36.05	29.30	381	169	H
5975.0	28.7	15.9	15.4	44.14	31.32			35.86	28.68	377	208	H
5620.0	28.9	15.9	14.54	43.47	30.45			36.53	29.55	108	231	V
5645.0	29.3	16.2	14.53	43.81	30.74			36.19	29.26	127	105	V
5735.0	29.6	15.7	14.56	44.15	30.30			35.85	29.70	113	188	V

Radiated Emission (Below 1 GHz) / Recording mode (POE) / V



4, Songjuro 236Beon-gil, yanggi-myeon,
Yongin-si, Gyeonggi-do, Korea
Tel : +82-31-3236008,9
Fax : +82-31-3236010
www.ltalab.com

EUT/Model No.: NC-CF620-DP

Temp/Humi: 25 / 49


Test Mode : Recording mode (PoE)

Tested by: LEE H W

Data: 321

File: C:\Program Files (x86)\e3\1706-1.EM6 (321)

Date: 2017-06-20 Time: 18:26:09



Freq MHz	Reading dBuV	C.F dB	Result QP dBuV/m	Limit dBuV/m	Margin dB	Height cm	Angle deg	Polarity
110.51	49.28	-14.49	34.79	40.00	5.21	101	172	VERTICAL
135.73	48.69	-12.62	36.07	40.00	3.93	105	201	VERTICAL
150.28	47.10	-11.89	35.21	40.00	4.79	112	162	VERTICAL

Remarks: C.F (Correction Factor) = Antenna factor + Cable loss - Preamp gain

Radiated Emission (Below 1 GHz) / Recording mode (PoE) / H



4, Songjuro 236Beon-gil, yanggi-myeon,
Yongin-si, Gyeonggi-do, Korea
Tel : +82-31-3236008,9
Fax : +82-31-3236010
www.ltalab.com

EUT/Model No.: NC-CF620-DP

Temp/Humi: 25 / 49


Test Mode : Recording mode (PoE)

Tested by: LEE H W

Data: 322

File: C:\Program Files (x86)\e3\1706-1.EM6 (322)

Date: 2017-06-20 Time: 18:27:59




Freq MHz	Reading dBuV	C.F dB	Result QP dBuV/m	Limit dBuV/m	Margin dB	Height cm	Angle deg	Polarity
106.63	42.28	-15.06	27.22	40.00	12.78	372	162	HORIZONTAL
108.57	42.75	-14.77	27.98	40.00	12.02	383	182	HORIZONTAL
148.34	39.65	-11.94	27.71	40.00	12.29	369	198	HORIZONTAL


Remarks: C.F (Correction Factor) = Antenna factor + Cable loss - Preamp gain

Radiated Emission (Above 1 GHz) / Recording mode (POE)

EUT/Model No.: NC-CF620-DP Temp/Humi: 25 / 49
 Test Mode : Recording mode (PoE) Tested by: LEE H W



EUT/Model No.: NC-CF620-DP Temp/Humi: 25 / 49
 Test Mode : Recording mode (PoE) Tested by: LEE H W



Manufacture : IDIS CO., LTD
 Model : NC-CF620-DP
 TEST mode : Recording mode (PoE)

Test Date : 2017.06.20
 Temp.: [°C] : 25
 Humidity: [%] : 49
 Barometric [mbar]

Freq.(MHz)	Reading(PK)	Reading(AV)	C.F	Result(PK)	Result(AV)	Limit(PK)	Limit(AV)	Margin(PK)	Margin(AV)	Height	Angle	Polarity
MHz	dBuV	dBuV	dB	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg	Hor/Ver
5485.0	29.1	15.8	14.45	43.59	30.25	80.0	60.0	36.41	29.75	152	217	H
5675.0	29.2	15.7	14.52	43.70	30.23			36.30	29.77	182	204	H
5860.0	27.7	15.4	14.89	42.62	30.26			37.38	29.74	108	211	H
5565.0	43.2	30.1	14.56	57.80	44.66			22.20	15.34	105	217	V
5915.0	42.6	30.4	15.12	57.76	45.52			22.24	14.48	152	332	V
5985.0	43.5	31.2	15.44	58.92	46.65			21.08	13.35	185	214	V

3.2.3 Harmonic Current (AC power input port)

Definition:

This part deals with the Limitation of harmonic currents injected into the public supply system.

We were performed the test according to LTA procedure LTA-QI-04.

Test method	:	EN 61000-3-2:2014
Test mode	:	Recording mode
Rated power	:	4.97 W (DC mode), 8.61 W (POE mode)
Result	:	Complies

Measurement Data:

- Uncertainty(HAR) = +/- 2.24 % (with a 95 % confidence level, k=2)


“It has been demonstrated that the HAR generator meets the specified requirements in the standard with at least 95 % confidence.”

Harmonic Current / Recording mode (DC)

Product: NC-CF620-DP	2017 Jun 24 10:23am	
Serial no: N / A	Page 1 of 1	
Description: Recording mode		
Test Date: 2017 Jun 20 6:40pm		
Result Name: NC-CF620-DP_PASS		
Type of Test: EN61000:2006 Harmonics inc. interharmonics to EN61000-4-7:2002		
Limits: Class A		
Power Analyzer: Voltech PM6000 SN: 100006700108 Firmware version: v1.22.07RC6		
Channel(s):		
1. SN: 090015500547, 21 Adjusted Date: 7 FEB 2007. 2. SN:None Adjusted Date:None		
3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None		
5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None		
Shunt(s):		
1. SN: 091024300314, 4 Adjusted Date: 6 FEB 2007. 2. SN:None Adjusted Date:None		
3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None		
5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None		
AC Source: Mains / Manual Source		
Harmonic Results Against Chosen Limits:	Notes:	
N/A	Minimum power is greater than maximum	
Test Parameter Details	User Entered	Measured
Operating Frequency:	50	49.9840
Operating Voltage:	230	230.2924
Specified Power:	0.0000	4.9796
Fundamental Current:	0.0000	0.0229
Power Factor:	0.0000	0.3058
Average Input Current:		0.0681
Maximum POHC:		0.0197
POHC Limit:		0.2514
Maximum THC:		0.0557
Minimum Power:	75	
Class Multiplier:	1.0000	
Test Duration:	00:02:30	

Product:	NC-CF620-DP	2017 Jun 24 10:24am
Serial no:	N / A	Page 1 of 1
Description:	Recording mode	
Result Name:	NC-CF620-DP_PASS	
Voltech IEC61000-3 Windows Software 1.24.12		Test Date: 2017 Jun 20 6:40pm
Type of Test:	Fluctuating Harmonics Test - Normalised Worst Case Bar Chart (2006)	
Power Analyzer:	Voltech PM6000 SN: 100006700108 Firmware version: v1.22.07RC6	
Channel(s):	1. SN: 090015500547, 21 Adjusted Date: 7 FEB 2007. 2. SN:None Adjusted Date:None 3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None 5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
Shunt(s):	1. SN: 091024300314, 4 Adjusted Date: 6 FEB 2007. 2. SN:None Adjusted Date:None 3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None 5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
AC Source:	Mains / Manual Source	
Overall Result:	N/A	

Class	Class A
Class Multiplier	1



Product:	NC-CF620-DP	2017 Jun 24 10:25am
Serial no:	N / A	Page 1 of 1
Description:	Recording mode	
Result Name:	NC-CF620-DP_PASS	
Voltech IEC61000-3 Windows Software 1.24.12		Test Date: 2017 Jun 20 6:40pm
Type of Test:	Fluctuating Harmonics Test - Worst Case Table (2006)	
Power Analyzer:	Voltech PM6000 SN: 100006700108 Firmware version: v1.22.07RC6	
Channel(s):	1. SN: 090015500547, 21 Adjusted Date: 7 FEB 2007. 2. SN:None Adjusted Date:None	
	3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None	
	5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
Shunt(s):	1. SN: 091024300314, 4 Adjusted Date: 6 FEB 2007. 2. SN:None Adjusted Date:None	
	3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None	
	5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
AC Source:	Mains / Manual Source	
Overall Result:	N/A	

Class	Class A
Class Multiplier	1

Harm	Limit 1	Limit 2	Average Reading	<L1 <L2	Max Reading	<L2	Pass FAIL	Harm	Limit 1	Limit 2	Average Reading	<L1 <L2	Max Reading	<L2	Pass FAIL
2	1.0800A	1.6200A	1.828mA	N/A	1.893mA	N/A	N/A	3	2.3000A	3.4500A	19.66mA	✓✓	20.37mA	✓	N/A
4	430.0mA	645.0mA	1.840mA	N/A	1.898mA	N/A	N/A	5	1.1400A	1.7100A	19.30mA	✓✓	19.99mA	✓	N/A
6	300.0mA	450.0mA	1.794mA	N/A	1.841mA	N/A	N/A	7	770.0mA	1.1550A	18.70mA	✓✓	19.36mA	✓	N/A
8	230.0mA	345.0mA	1.717mA	N/A	1.767mA	N/A	N/A	9	400.0mA	600.0mA	17.93mA	✓✓	18.55mA	✓	N/A
10	184.0mA	276.0mA	1.624mA	N/A	1.666mA	N/A	N/A	11	330.0mA	495.0mA	17.00mA	✓✓	17.55mA	✓	N/A
12	153.3mA	230.0mA	1.516mA	N/A	1.560mA	N/A	N/A	13	210.0mA	315.0mA	15.93mA	✓✓	16.42mA	✓	N/A
14	131.4mA	197.1mA	1.396mA	N/A	1.439mA	N/A	N/A	15	150.0mA	225.0mA	14.74mA	✓✓	15.18mA	✓	N/A
16	115.0mA	172.5mA	1.270mA	N/A	1.317mA	N/A	N/A	17	132.3mA	198.5mA	13.46mA	✓✓	13.84mA	✓	N/A
18	102.2mA	153.3mA	1.142mA	N/A	1.188mA	N/A	N/A	19	118.4mA	177.6mA	12.11mA	✓✓	12.43mA	✓	N/A
20	92.00mA	138.0mA	1.018mA	N/A	1.059mA	N/A	N/A	21	107.1mA	160.7mA	10.73mA	✓✓	10.99mA	✓	N/A
22	83.63mA	125.4mA	0.901mA	N/A	0.944mA	N/A	N/A	23	97.82mA	146.7mA	9.344mA	✓✓	9.552mA	✓	N/A
24	76.66mA	115.0mA	0.801mA	N/A	0.846mA	N/A	N/A	25	90.00mA	135.0mA	7.961mA	✓✓	8.114mA	✓	N/A
26	70.78mA	106.1mA	0.715mA	N/A	0.759mA	N/A	N/A	27	83.33mA	125.0mA	6.618mA	✓✓	6.726mA	✓	N/A
28	65.71mA	98.57mA	0.651mA	N/A	0.695mA	N/A	N/A	29	77.58mA	116.3mA	5.354mA	✓✓	5.425mA	✓	N/A
30	61.33mA	92.00mA	0.610mA	N/A	0.654mA	N/A	N/A	31	72.58mA	108.8mA	4.173mA	N/A	4.273mA	N/A	N/A
32	57.50mA	86.25mA	0.583mA	N/A	0.624mA	N/A	N/A	33	68.18mA	102.2mA	3.098mA	N/A	3.267mA	N/A	N/A
34	54.11mA	81.17mA	0.569mA	N/A	0.616mA	N/A	N/A	35	64.28mA	96.42mA	2.157mA	N/A	2.365mA	N/A	N/A
36	51.11mA	76.66mA	0.567mA	N/A	0.611mA	N/A	N/A	37	60.81mA	91.21mA	1.405mA	N/A	1.604mA	N/A	N/A
38	48.42mA	72.63mA	0.557mA	N/A	0.604mA	N/A	N/A	39	57.69mA	86.53mA	0.917mA	N/A	1.003mA	N/A	N/A
40	46.00mA	69.00mA	0.551mA	N/A	0.599mA	N/A	N/A								

<L1 : Reading is below limit 1.

<L2 : Reading is below limit 2.

N/A : Overall Result is N/A

Product:	NC-CF620-DP	2017 Jun 24 10:24am
Serial no:	N / A	Page 1 of 1
Description:	Recording mode	
Result Name:	NC-CF620-DP_PASS	
Voltech IEC61000-3 Windows Software 1.24.12		Test Date: 2017 Jun 20 6:40pm
Type of Test:	Fluctuating Harmonics Test - Source Qualification (2006)	
Power Analyzer:	Voltech PM6000 SN: 100006700108 Firmware version: v1.22.07RC6	
Channel(s):	1. SN: 090015500547, 21 Adjusted Date: 7 FEB 2007. 2. SN:None Adjusted Date:None	
	3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None	
	5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
Shunt(s):	1. SN: 091024300314, 4 Adjusted Date: 6 FEB 2007. 2. SN:None Adjusted Date:None	
	3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None	
	5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
AC Source:	Mains / Manual Source	
Overall Result:	N/A	

	Nominal	Measured	Deviation	Allowed Deviation	Result
Supply Voltage	230.00V	230.29V	0.29V	4.60V	Pass
Supply Frequency	50.00Hz	49.98Hz	0.02Hz	0.25Hz	Pass
Crest Factor	1.4100	1.4182	0.0082	+/- 0.01	Pass


Harmonic	Reading	Limit	Result	Harmonic	Reading	Limit	Result
2	0.09%	0.20%	Pass	3	0.04%	0.90%	Pass
4	0.02%	0.20%	Pass	5	0.02%	0.40%	Pass
6	0.02%	0.20%	Pass	7	0.02%	0.30%	Pass
8	0.03%	0.20%	Pass	9	0.02%	0.20%	Pass
10	0.01%	0.20%	Pass	11	0.01%	0.10%	Pass
12	0.01%	0.10%	Pass	13	0.01%	0.10%	Pass
14	0.01%	0.10%	Pass	15	0.01%	0.10%	Pass
16	0.01%	0.10%	Pass	17	0.01%	0.10%	Pass
18	0.01%	0.10%	Pass	19	0.01%	0.10%	Pass
20	0.01%	0.10%	Pass	21	0.01%	0.10%	Pass
22	0.01%	0.10%	Pass	23	0.01%	0.10%	Pass
24	0.01%	0.10%	Pass	25	0.01%	0.10%	Pass
26	0.00%	0.10%	Pass	27	0.01%	0.10%	Pass
28	0.01%	0.10%	Pass	29	0.01%	0.10%	Pass
30	0.00%	0.10%	Pass	31	0.01%	0.10%	Pass
32	0.01%	0.10%	Pass	33	0.00%	0.10%	Pass
34	0.01%	0.10%	Pass	35	0.00%	0.10%	Pass
36	0.00%	0.10%	Pass	37	0.01%	0.10%	Pass
38	0.01%	0.10%	Pass	39	0.00%	0.10%	Pass
40	0.00%	0.10%	Pass				

Harmonic Current / Recording mode (POE)

Product: NC-CF620-DP	2017 Jun 24 10:26am	
Serial no: N / A	Page 1 of 1	
Description: Recording mode		
Test Date: 2017 Jun 20 6:13pm		
Result Name: NC-CF620-DP_PASS		
Type of Test: EN61000:2006 Harmonics inc. interharmonics to EN61000-4-7:2002		
Limits: Class A		
Power Analyzer: Voltech PM6000 SN: 100006700108 Firmware version: v1.22.07RC6		
Channel(s):		
1. SN: 090015500547, 21 Adjusted Date: 7 FEB 2007. 2. SN:None Adjusted Date:None		
3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None		
5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None		
Shunt(s):		
1. SN: 091024300314, 4 Adjusted Date: 6 FEB 2007. 2. SN:None Adjusted Date:None		
3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None		
5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None		
AC Source: Mains / Manual Source		
Harmonic Results Against Chosen Limits:	Notes:	
N/A	Minimum power is greater than maximum	
Test Parameter Details	User Entered	Measured
Operating Frequency:	50	49.9840
Operating Voltage:	230	230.3351
Specified Power:	0.0000	8.6178
Fundamental Current:	0.0000	0.0413
Power Factor:	0.0000	0.3957
Average Input Current:		0.0945
Maximum POHC:		0.0124
POHC Limit:		0.2514
Maximum THC:		0.0787
Minimum Power:	75	
Class Multiplier:	1.0000	
Test Duration:	00:02:30	

Product:	NC-CF620-DP	2017 Jun 24 10:26am
Serial no:	N / A	Page 1 of 1
Description:	Recording mode	
Result Name:	NC-CF620-DP_PASS	
Voltech IEC61000-3 Windows Software 1.24.12		Test Date: 2017 Jun 20 6:13pm
Type of Test:	Fluctuating Harmonics Test - Normalised Worst Case Bar Chart (2006)	
Power Analyzer:	Voltech PM6000 SN: 100006700108 Firmware version: v1.22.07RC6	
Channel(s):	1. SN: 090015500547, 21 Adjusted Date: 7 FEB 2007. 2. SN:None Adjusted Date:None	
	3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None	
	5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
Shunt(s):	1. SN: 091024300314, 4 Adjusted Date: 6 FEB 2007. 2. SN:None Adjusted Date:None	
	3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None	
	5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
AC Source:	Mains / Manual Source	
Overall Result:	N/A	

Class	Class A
Class Multiplier	1



Product:	NC-CF620-DP	2017 Jun 24 10:26am
Serial no:	N / A	Page 1 of 1
Description:	Recording mode	
Result Name:	NC-CF620-DP_PASS	
Voltech IEC61000-3 Windows Software 1.24.12		Test Date: 2017 Jun 20 6:13pm
Type of Test:	Fluctuating Harmonics Test - Worst Case Table (2006)	
Power Analyzer:	Voltech PM6000 SN: 100006700108 Firmware version: v1.22.07RC6	
Channel(s):	1. SN: 090015500547, 21 Adjusted Date: 7 FEB 2007. 2. SN:None Adjusted Date:None	
	3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None	
	5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
Shunt(s):	1. SN: 091024300314, 4 Adjusted Date: 6 FEB 2007. 2. SN:None Adjusted Date:None	
	3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None	
	5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
AC Source:	Mains / Manual Source	
Overall Result:	N/A	

Class	Class A
Class Multiplier	1

Harm	Limit 1	Limit 2	Average Reading	<L1 <L2	Max Reading	<L2	Pass FAIL	Harm	Limit 1	Limit 2	Average Reading	<L1 <L2	Max Reading	<L2	Pass FAIL
2	1.0800A	1.6200A	1.706mA	N/A	1.785mA	N/A	N/A	3	2.3000A	3.4500A	35.12mA	✓✓	35.16mA	✓	N/A
4	430.0mA	645.0mA	1.654mA	N/A	1.725mA	N/A	N/A	5	1.1400A	1.7100A	33.67mA	✓✓	33.70mA	✓	N/A
6	300.0mA	450.0mA	1.574mA	N/A	1.633mA	N/A	N/A	7	770.0mA	1.1550A	31.50mA	✓✓	31.53mA	✓	N/A
8	230.0mA	345.0mA	1.441mA	N/A	1.508mA	N/A	N/A	9	400.0mA	600.0mA	28.76mA	✓✓	28.80mA	✓	N/A
10	184.0mA	276.0mA	1.284mA	N/A	1.339mA	N/A	N/A	11	330.0mA	495.0mA	25.57mA	✓✓	25.62mA	✓	N/A
12	153.3mA	230.0mA	1.111mA	N/A	1.165mA	N/A	N/A	13	210.0mA	315.0mA	22.07mA	✓✓	22.15mA	✓	N/A
14	131.4mA	197.1mA	0.939mA	N/A	0.989mA	N/A	N/A	15	150.0mA	225.0mA	18.43mA	✓✓	18.51mA	✓	N/A
16	115.0mA	172.5mA	0.782mA	N/A	0.830mA	N/A	N/A	17	132.3mA	198.5mA	14.79mA	✓✓	14.88mA	✓	N/A
18	102.2mA	153.3mA	0.660mA	N/A	0.705mA	N/A	N/A	19	118.4mA	177.6mA	11.27mA	✓✓	11.38mA	✓	N/A
20	92.00mA	138.0mA	0.575mA	N/A	0.616mA	N/A	N/A	21	107.1mA	160.7mA	8.058mA	✓✓	8.159mA	✓	N/A
22	83.63mA	125.4mA	0.532mA	N/A	0.572mA	N/A	N/A	23	97.82mA	146.7mA	5.247mA	✓✓	5.346mA	✓	N/A
24	76.66mA	115.0mA	0.515mA	N/A	0.558mA	N/A	N/A	25	90.00mA	135.0mA	2.977mA	N/A	3.062mA	N/A	N/A
26	70.78mA	106.1mA	0.502mA	N/A	0.540mA	N/A	N/A	27	83.33mA	125.0mA	1.711mA	N/A	1.764mA	N/A	N/A
28	65.71mA	98.57mA	0.493mA	N/A	0.530mA	N/A	N/A	29	77.58mA	116.3mA	1.932mA	N/A	1.976mA	N/A	N/A
30	61.33mA	92.00mA	0.471mA	N/A	0.509mA	N/A	N/A	31	72.58mA	108.8mA	2.604mA	N/A	2.647mA	N/A	N/A
32	57.50mA	86.25mA	0.438mA	N/A	0.473mA	N/A	N/A	33	68.18mA	102.2mA	3.061mA	N/A	3.092mA	N/A	N/A
34	54.11mA	81.17mA	0.403mA	N/A	0.448mA	N/A	N/A	35	64.28mA	96.42mA	3.193mA	N/A	3.228mA	N/A	N/A
36	51.11mA	76.66mA	0.371mA	N/A	0.409mA	N/A	N/A	37	60.81mA	91.21mA	3.008mA	N/A	3.048mA	N/A	N/A
38	48.42mA	72.63mA	0.346mA	N/A	0.389mA	N/A	N/A	39	57.69mA	86.53mA	2.637mA	N/A	2.695mA	N/A	N/A
40	46.00mA	69.00mA	0.328mA	N/A	0.361mA	N/A	N/A								

<L1 : Reading is below limit 1.

<L2 : Reading is below limit 2.

N/A : Overall Result is N/A

Product:	NC-CF620-DP	2017 Jun 24 10:26am
Serial no:	N / A	Page 1 of 1
Description:	Recording mode	
Result Name:	NC-CF620-DP_PASS	
Voltech IEC61000-3 Windows Software 1.24.12		Test Date: 2017 Jun 20 6:13pm
Type of Test:	Fluctuating Harmonics Test - Source Qualification (2006)	
Power Analyzer:	Voltech PM6000 SN: 100006700108 Firmware version: v1.22.07RC6	
Channel(s):	1. SN: 090015500547, 21 Adjusted Date: 7 FEB 2007. 2. SN:None Adjusted Date:None 3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None 5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
Shunt(s):	1. SN: 091024300314, 4 Adjusted Date: 6 FEB 2007. 2. SN:None Adjusted Date:None 3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None 5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
AC Source:	Mains / Manual Source	
Overall Result:	N/A	

	Nominal	Measured	Deviation	Allowed Deviation	Result
Supply Voltage	230.00V	230.34V	0.34V	4.60V	Pass
Supply Frequency	50.00Hz	49.98Hz	0.02Hz	0.25Hz	Pass
Crest Factor	1.4100	1.4179	0.0079	+/- 0.01	Pass

Harmonic	Reading	Limit	Result	Harmonic	Reading	Limit	Result
2	0.09%	0.20%	Pass	3	0.04%	0.90%	Pass
4	0.02%	0.20%	Pass	5	0.02%	0.40%	Pass
6	0.02%	0.20%	Pass	7	0.02%	0.30%	Pass
8	0.03%	0.20%	Pass	9	0.02%	0.20%	Pass
10	0.01%	0.20%	Pass	11	0.01%	0.10%	Pass
12	0.01%	0.10%	Pass	13	0.01%	0.10%	Pass
14	0.01%	0.10%	Pass	15	0.01%	0.10%	Pass
16	0.01%	0.10%	Pass	17	0.01%	0.10%	Pass
18	0.01%	0.10%	Pass	19	0.01%	0.10%	Pass
20	0.01%	0.10%	Pass	21	0.01%	0.10%	Pass
22	0.01%	0.10%	Pass	23	0.01%	0.10%	Pass
24	0.01%	0.10%	Pass	25	0.01%	0.10%	Pass
26	0.00%	0.10%	Pass	27	0.01%	0.10%	Pass
28	0.01%	0.10%	Pass	29	0.01%	0.10%	Pass
30	0.00%	0.10%	Pass	31	0.01%	0.10%	Pass
32	0.01%	0.10%	Pass	33	0.00%	0.10%	Pass
34	0.01%	0.10%	Pass	35	0.00%	0.10%	Pass
36	0.00%	0.10%	Pass	37	0.00%	0.10%	Pass
38	0.01%	0.10%	Pass	39	0.00%	0.10%	Pass
40	0.00%	0.10%	Pass				

3.2.4 Voltage Variation and Flicking (AC power input port)

Definition:

This section is concerned with the limitation of voltage fluctuations and flicker impressed on the public low-voltage system.

We were performed the test according to LTA procedure LTA-QI-04.

Test method	:	EN 61000-3-3:2013
Test mode	:	4.97 W (DC mode), 8.61 W (POE mode)
Result	:	Complies

Measurement Data:

- Uncertainty(FLK) = +/- 9.94 % (with a 95 % confidence level, k=2)

“It has been demonstrated that the FLK generator meets the specified requirements in the standard with at least 95 % confidence.”

Voltage Variation and Flicking / Recording mode (DC)

Product:	NC-CF620-DP	2017 Jun 24 10:28am
Serial no:	N / A	Page 1 of 1
Description:	Recording mode	
Result Name:	NC-CF620-DP_PASS	
Voltech IEC61000-3 Windows Software 1.24.12		Test Date: 2017 Jun 20 6:47pm
Type of Test:	Flickermeter Test - Table	
Power Analyzer:	Voltech PM6000 SN: 100006700108 Firmware Version: v1.22.07RC6	
Channel(s):	1. SN:090015500547, 21 Adjusted Date: 7 FEB 2007. 2. SN:None Adjusted Date:None	
	3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None	
	5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
Shunt(s):	1. SN: 091024300314, 4 Adjusted Date: 6 FEB 2007. 2. SN:None Adjusted Date:None	
	3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None	
	5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None	
AC Source:	Mains / Manual Source	
Overall Result:	Notes:	
PASS	Measurement method - Voltage Source frequency lower than nominal	

	Pst	dc (%)	dmax (%)	d(t) > 3.3%(ms)
Limit	1.000	3.300	4.000	500
Reading 1	0.071	0.000	0.000	0

Voltage Variation and Flicking / Recording mode (POE)

Product:	NC-CF620-DP	2017 Jun 24 10:27am		
Serial no:	N / A	Page 1 of 1		
Description:	Recording mode			
Result Name:	NC-CF620-DP_PASS			
Voltech IEC61000-3 Windows Software 1.24.12		Test Date: 2017 Jun 20 6:24pm		
Type of Test:	Flickermeter Test - Table			
Power Analyzer:	Voltech PM6000 SN: 100006700108 Firmware Version: v1.22.07RC6			
Channel(s):	1. SN: 090015500547, 21 Adjusted Date: 7 FEB 2007. 2. SN:None Adjusted Date:None 3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None 5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None			
Shunt(s):	1. SN: 091024300314, 4 Adjusted Date: 6 FEB 2007. 2. SN:None Adjusted Date:None 3. SN:None Adjusted Date:None 4. SN:None Adjusted Date:None 5. SN:None Adjusted Date:None 6. SN:None Adjusted Date:None			
AC Source:	Mains / Manual Source			
Overall Result:	Notes:			
PASS	Measurement method - Voltage Source frequency lower than nominal			
	Pst	dc (%)	dmax (%)	d(t) > 3.3%(ms)
Limit	1.000	3.300	4.000	500
Reading 1	0.071	0.000	0.000	0

3.3 IMMUNITY

3.3.1 Electrostatic Discharge

Definition:

The test assesses the ability of the EUT to operate as intended in the event of an electrostatic discharge.

We were performed the test according to LTA procedure LTA-QI-04.

Test method	:	EN 61000-4-2 :2009
Temperature / Humidity / Pressure	:	26 °C / 51 %RH / 100.7 kPa
Discharge Impedance	:	(330 ±10%)Ω / (150 ±10%) pF
Type of Discharge (air discharge)	:	± 2kV, ± 4 kV, ± 8 kV
Type of Discharge (contact discharge)	:	± 6 kV
Number of discharges at each point	:	10 of each polarity
Discharge Repetition on Rate	:	1 / sec
Test mode	:	Recording mode
Result	:	Complies

Measurement Data:

- Uncertainty(ESD) = +/- 5 % (with a 95 % confidence level, k=2)

“It has been demonstrated that the ESD generator meets the specified requirements in the standard with at least 95 % confidence.”

- Refer to the next page

Criteria for compliance:

- There shall be no damage, malfunction or change of status due to the conditioning. Flickering of an indicator during the application of the discharges is permissible, providing that there is no residual change in the EUT or any change in outputs, which could be interpreted by associated equipment as a change.

1-2. Indirect Discharge

No.	Position	Kind of Discharge	Results	Remarks
①	HCP	Contact	Complies	No reaction recognized
②	VCP	Contact	Complies	No reaction recognized

1-2. Direct Discharge

No.	Position	Kind of Discharge	Result	Remarks
1	Main Unit Enclosure	Contact	Complies	No reaction recognized
2	Camera Enclosure	Contact	Complies	No reaction recognized
3	DC IN	Air	Complies	No reaction recognized
4	LAN #1	Air	Complies	No reaction recognized
5	LAN #2	Air	Complies	No reaction recognized
6	LAN #3	Air	Complies	No reaction recognized
7	LED	Air	Complies	No reaction recognized
8	ALARM	Air	Complies	No reaction recognized
9	Audio IN	Air	Complies	No reaction recognized
10	Audio OUT	Air	Complies	No reaction recognized
11	Micro SD Card Slot	Air	Complies	No reaction recognized
12	LENS	Air	Complies	No reaction recognized
13	LAN	Air	Complies	No reaction recognized

TEST EQUIPMENT USED: 27, 28, 03

3.3.2 RF Electromagnetic Field

Definition:

The test assesses the ability of the EUT to operate as intended in the presence of a radio frequency electromagnetic field disturbance.

We were performed the test according to LTA procedure LTA-QI-04.

Test method	:	EN 61000-4-3:2006/A2:2010
Frequency range	:	80 MHz to 2700 MHz
Test level	:	10 V/m (measured unmodulated)
Amplitude Modulation	:	AM, 80 %, 1 kHz Sinusoidal PM, 1 Hz (0.5s ON : 0.5s OFF)
Step size	:	1 % of fundamental
Dwell Time	:	3 s
Test mode	:	Recording mode
Result	:	Complies

Measurement Data:

- Uncertainty = +/- 1.6dB (with a 95 % confidence level, k=2.28)

“It has been demonstrated that the RS generator meets the specified requirements in the standard with at least 95 % confidence.”

Port	Test level (V/m)	Result		Remark
		Horizontal	Vertical	
Enclosure	10	Complies	Complies	No reaction recognized

Criteria for compliance:

- There shall be no damage, malfunction or change of status due to the conditioning. Flickering of an indicator during the conditioning is permissible, providing that there is no residual change in the EUT or any change in outputs, which could be interpreted by associated equipment as a change, and no such flickering of indicators occurs at a field strength of 3 V/m.
- For components of CCTV systems, where the status is monitored by observing the TV picture, then deterioration of the picture is allowed at 10 V/m.
 - a) There is no permanent damage or change to the EUT.
 - b) At 3 V/m, any deterioration of the picture is so minor that the system could still be used.
 - c) There is no observable deterioration of the picture at 1 V/m

TEST EQUIPMENT USED: 29, 30, 31, 32, 33, 34, 35, 03, 28

3.3.3 Electrical fast transients

Definition:

The test assesses the ability of the EUT to operate as intended in the event of fast transients presence on one of the input/output ports.

We were performed the test according to LTA procedure LTA-QI-04.

Test method	:	EN 61000-4-4:2012
Cable length	:	< 3 m
Test level	:	2.0 kV (AC power input port) 1.0 kV (Signal port)
Polarity	:	Negative/ positive
Repetition frequency	:	100 kHz
Test mode	:	Recording mode
Result	:	Complies

Measurement Data:

- Uncertainty = +/- 10 % (with a 95 % confidence level, k=2)

“It has been demonstrated that the EFT/Burst generator meets the specified requirements in the standard with at least 95 % confidence.”

- Refer to the next page

Criteria for compliance:

- There shall be no damage, malfunction or change of status due to the conditioning. Flickering of an indicator during the application of the discharges is permissible, providing that there is no residual change in the EUT or any change in outputs, which could be interpreted by associated equipment as a change.

power Line	Test level	Result	Remarks
L – N – PE	+ 2 kV	Complies	No reaction recognized
	- 2 kV	Complies	No reaction recognized

Signal Line	Test level	Result	Remarks
LAN	+ 1 kV	Complies	No reaction recognized
	- 1 kV	Complies	No reaction recognized

TEST EQUIPMENT USED: 40, 28, 03, 41

3.3.4 Surge

Definition:

The test assesses the ability of the EUT to operate as intended in the event of surge presence on the AC main power input ports.

We were performed the test according to LTA procedure LTA-QI-04.

Test method	:	EN 61000-4-5:2014
Test level	:	± 0.5 kV, ±1 kV (line to line) ± 0.5 kV, ± 1 kV, ± 2 kV (line to ground), ± 0.5 kV, ± 1 kV (signal line)
Polarity	:	Negative/ positive
Wave shape	:	1.2/ 50 µs pulse
Number of surges	:	5 (at each phase)
Test mode	:	Recording mode
Result	:	Complies

Measurement Data:

- Uncertainty = +/- 10 % (with a 95 % confidence level, k=2)

“It has been demonstrated that the Surge generator meets the specified requirements in the standard with at least 95 % confidence.”

- Refer to the next page

Criteria for compliance:

- There shall be no damage, malfunction or change of status due to the conditioning. Flickering of an indicator during the application of the discharges is permissible, providing that there is no residual change in the EUT or any change in outputs, which could be interpreted by associated equipment as a change.

TEST EQUIPMENT USED: 42, 28, 03

Measurement Data:

Phase	Line	level	Result	Phase	Line	level	Result
0°	Line(L) to line(N)	+1 kV	Complies	90°	Line(L) to line(N)	+1 kV	Complies
		-1 kV	Complies			-1 kV	Complies
	Line(L) to ground(PE)	+2 kV	Complies		Line(L) to ground(PE)	+2 kV	Complies
		- 2 kV	Complies			- 2 kV	Complies
	Line(N) to ground(PE)	+2 kV	Complies		Line(N) to ground(PE)	+2 kV	Complies
		- 2 kV	Complies			- 2 kV	Complies
180°	Line(L) to line(N)	+1 kV	Complies	270°	Line(L) to line(N)	+1 kV	Complies
		-1 kV	Complies			-1 kV	Complies
	Line(L) to ground(PE)	+2 kV	Complies		Line(L) to ground(PE)	+2 kV	Complies
		- 2 kV	Complies			- 2 kV	Complies
	Line(N) to ground(PE)	+2 kV	Complies		Line(N) to ground(PE)	+2 kV	Complies
		- 2 kV	Complies			- 2 kV	Complies

Phase	Line	level	Result
-	-	-	-
-	-	-	-

TEST EQUIPMENT USED: 42, 28, 03

3.3.5 Conducted disturbances, induced by radio-frequency fields

Definition:

The test assesses the ability of the EUT to operate as intended in the presence of a radio frequency electromagnetic disturbance on the input/output ports.

We were performed the test according to LTA procedure LTA-QI-04.

Test method	:	EN 61000-4-6:2014
Frequency range	:	0.15MHz – 100 MHz
Test level	:	10 Vrms unmodulated
Amplitude Modulation	:	AM, 80 %, 1 kHz Sinusoidal
Step size	:	1 % of fundamental.
Test mode	:	Recording mode
Result	:	Complies

Measurement Data:

- Uncertainty = +/-1.25 dB (with a 95 % confidence level, k=2)

Port	Test level (Vrms)	Result	Remarks
Power Line	10	Complies	No reaction recognized

Port	Test level (Vrms)	Result	Remarks
LAN	10	Complies	No reaction recognized

Criteria for compliance:

- There shall be no damage, malfunction or change of status due to the conditioning. Flickering of an indicator during the conditioning is permissible, providing that there is no residual change in the EUT or any change in outputs, which could be interpreted by associated equipment as a change, and no such flickering of indicators occurs at $U_0 = 130$ dBuV.
- For components of CCTV systems, where the status is monitored by observing the TV picture, then deterioration of the picture is allowed at $U_0 = 140$ dBuV.
 - a) There is no permanent damage or change to the EUT.
 - b) At $U_0 = 130$ dBuV, any deterioration of the picture is so minor that the system could still be used.
 - c) There is no observable deterioration of the picture at $U_0 = 120$ dBuV

TEST EQUIPMENT USED: 46, 47, 48, 03, 28, 49, 52, 51

3.3.6 Mains supply voltage dips, short interruptions

Definition:

The test assesses the ability of the EUT to operate as intended in the event of voltage dips and interruptions present on the AC mains power input ports.

We were performed the test according to LTA procedure LTA-QI-04.

Test method	:	EN 61000-4-11:2004
Ut	:	230 Vac
Test mode	:	Recording mode
Result	:	Complies

Measurement Data:

- Uncertainty = +/- 5 % (with a 95 % confidence level, k=2)

“It has been demonstrated that the Voltage dips generator meets the specified requirements in the standard with at least 95 % confidence.”

Test Level %Ut	Voltage droop and interruptions %Ut	Duration of Reduction (period)	Result	Remarks
80	20	250	Complies	No reaction recognized
70	30	25	Complies	No reaction recognized
40	60	10	Complies	No reaction recognized
0	100	250	Complies	EUT took off during the test. After the test, EUT operated normally.

Criteria for compliance:

- Mains supply voltage variations

There shall be no damage, malfunction or change of status due to the different supply voltage conditions.

- Mains supply voltage dips and short interruptions

There shall be no damage, malfunction or change of status due to the conditioning. Flickering of an indicator during the conditioning is permissible, providing that there is no residual change in the EUT or any change in outputs, which could be interpreted by associated equipment as a change.

During the 250 period power loss, in accordance with the standard, a UPS was used to maintain full operation of the unit.

TEST EQUIPMENT USED: 55, 16, 28, 03

3.3.7 Mains supply voltage variations

Definition:

The test assesses the ability of the EUT to operate as intended in the event of voltage variations present on the AC mains power input ports.

We were performed the test according to LTA procedure LTA-QI-04.

Test method	:	EN 50130-4 Clause 7
Supply Voltage maximum	:	$U_{nom} + 10\%$
Supply Voltage minimum	:	$U_{nom} - 15\%$
Ut	:	230 Vac
Test mode	:	Recording mode
Result	:	Complies

Measurement Data:

U_{nom} = Nominal mains voltage. Where provision is made to adapt the equipment to suit a number of nominal supply voltages (e.g. by transformer tap changing), the above conditioning severity shall be applied for each nominal voltage, with the equipment suitably adapted. For equipment which is claimed to be suitable for a range of nominal mains voltages (e.g. 220/240 V) without adaptation, $U_{max} = (\text{Maximum } U_{nom}) + 10\%$, and $U_{min} = (\text{Minimum } U_{nom}) - 15\%$. In any case the range of U_{nom} must include the European nominal mains voltage of 230 V.

2 Mains supply voltage variations

230 V, 50 Hz

Test LevelCondition		Test Level (V)	Result	Remarks
U_{nom}	+10%	253	Complies	No reaction recognized
U_{nom}	-15%	195.5	Complies	No reaction recognized

TEST EQUIPMENT USED: 55, 16, 28, 03

APPENDIX A

TEST EQUIPMENT AND ANCILLARIES USED FOR TESTS

To facilitate inclusion on each page of the test equipment used for related tests, each item of test equipment are identified by the Test Laboratory.

	Description	Model No.	Serial No.	Manufacturer	Interval	LAST Cal.
1	EMI TEST Receiver	ESR	101499	Rohde & Schwarz	1 year	Jul-16
2	Pulse Limiter	ESH3-Z2	100710	Rohde & Schwarz	1 year	Mar-17
3	DIGITAL THERMO HYGROMETER	TH-611	NONE	BODYCOM	1 year	Sep-16
4	DTV Signal Generator	MFG-100	15M2002	MFLO	1 year	Mar-17
5	Color TV Pattern Generator	PM-5518-TX	LO5333	Philips	-	-
6	LISN	ESH3-Z6	100378	Rohde & Schwarz	1 year	Sep-16
7	LISN(main)	ESH3-Z5	893045/017	Rohde & Schwarz	1 year	Mar-17
8	LISN(sub)	ENV216	100408	Rohde & Schwarz	1 year	Sep-16
9	ISN	ISN T800	27109	TESEQ	1 year	Jan-17
10	ISN	ENY81-CA6	101565	Rohde & Schwarz	1 year	Jan-17
11	CURRENT PROBE	EZ-17	100508	Rohde & Schwarz	1 year	Jan-17
12	LISN	ESH3-Z6	100378	Rohde & Schwarz	1 year	Sep-16
13	EMI TEST Receiver	ESC17	100772	Rohde & Schwarz	1 year	Sep-16
14	Amplifier (25 dB)	8447D	2944A07974	HP	1 year	Sep-16
15	DIGITAL THERMO HYGROMETER	TESTEK-303A	TAEGUANG	-	1 year	Mar-17
16	STEP TRANSFORMER	INA6502	34270	SCHAFFNER	1 year	Sep-16
17	Log.-Per. Antenna	VULP 9118	9118 A 401	SCHWARZBECK	2 year	Apr-17
18	Biconical Antenna	VHA 9103	VHA 9103-2315	SCHWARZBECK	2 year	Apr-17
19	TRILOG Antenna	VULB9160	9160-3237	SCHWARZBECK	2 year	May-17
20	TRILOG Antenna	VULB9160	9160-3237	SCHWARZBECK	2 year	Apr-17
21	Amplifier (25 dB)	8449B	3008A00337	HP	1 year	Mar-17
22	Spectrum Analyzer (~ 26.5 GHz)	E4407B	MY45108946	Agilent	1 year	Mar-17
23	HORN ANTENNA	3115	55005	ETS	2 year	May-17
24	HORN ANTENNA	3115	55005	ETS	2 year	Apr-17
25	Universal Power Analyzer	PM6000	1.00007E+11	Voltech Instruments	1 year	Mar-17
26	Reference Impedance Network	ES4152	9074424	NF Corp.	1 year	Sep-16
27	ESD Stimulator	ESS-2000	8000C03241	NOISEKEN	1 year	Dec-16
28	Hygro-Thermograph	THB-36	0041557-01	ISUZU	1 year	Dec-16
29	Signal Generator	E4432B	MY41310632	Agilent	1 year	May-17
30	Power Meter	E4419B	GB38410133	Agilent	1 year	Jun-17
31	RF POWER AMPLIFIER	ITA0300KL- 300	0300KL 1507 001	INFINITECH	1 year	Aug-16
32	RF POWER AMPLIFIER	ITA2000KL- 120	200KL 1507 001	INFINITECH	1 year	Aug-16
33	RF POWER AMPLIFIER	ITA4500KL-70	4500KL 1507 001	INFINITECH	1 year	Aug-16
34	RF POWER AMPLIFIER	ITA0750KL- 300	0750KL 1507 001	INFINITECH	1 year	Aug-16
35	Log.-Per.Antenna (80 MHz ~ 3 GHz)	K9128	NONE	RAPA	-	-
36	Microphone	MP201	530147	BSWA	1 year	Nov-16
37	Sound Acoustic Tester	TST-1000	15065-A	TESTEK	1 year	Nov-16

	Description	Model No.	Serial No.	Manufacturer	Interval	LAST Cal.
38	Horn Antenna	3115A	114105	ETS	2 year	Jul-16
39	Signal Generator	SMB 100A	177621	R&S	1 year	Mar-17
40	EFT Simulator	FNS-AX2	4000B01332	NoiseKen	1 year	Sep-16
41	Capacitive Coupling Clamp	CDN 8015	21240	SCHAFFNER	1 year	Sep-16
42	LIGHTNING SURGE SIMULATOR	LSS-6030	LSS02X0153	NOISEKEN	1 year	Sep-16
43	R-BOX (4x1000 HM)	INA 172	SL403-109	SCHAFFNER	1 year	-
44	CDN	CDN 117	20985	SCHAFFNER	1 year	-
45	CDN	CDN 118	20082	SCHAFFNER	1 year	-
46	Signal generator	SML03	103026/0013	R&S	1 year	Mar-17
47	POWER METER	NRVD	101689	R&S	1 year	Mar-17
48	RF Power Amplifier	FLL75A	1033	FRANKONIA	1 year	Dec-16
49	EM INJECTION CLAMP	TSIC-23	529	F.C.C	1 year	Jun-17
50	CDN (M1)	TSCDN-M1-16A	7004	F.C.C	1 year	Sep-16
51	CDN (M2)	TSCDN-M2-16A	7008	F.C.C	1 year	Sep-16
52	CDN (M3)	TSCDN-M3-16A	7017	F.C.C	1 year	Sep-16
53	Coil	INA 702	132	SCHAFFNER	6 month	Apr-17
54	Magnetic Field Generator	MFO6502	34267	SCHAFFNER	6 month	Apr-17
55	Modula System	MODULA6100	34395	SCHAFFNER	1 year	Sep-16
56	TRILOG Antenna	VULB9168	577	SCHWARZBECK	2 year	Mar-17

APPENDIX B
PERFORMANCE CRITERIA

Performance criteria

The variety and the diversity of the apparatus within the scope of this document makes it difficult to define precise criteria for the evaluation of the immunity test results.

If as a result of the application of the tests defined in this standard, the apparatus becomes dangerous or unsafe then the apparatus shall be deemed to have failed the test.

A functional description and a definition of performance by the manufacture and noted in the test report, based on the following criteria:

Electrostatic discharge

There shall be no damage, malfunction or change of status due to the conditioning.

Flickering of an indicator during the application of discharge is permissible, providing that there is no residual change in the EUT or any change in outputs, which could be interpreted by associated equipment as a change. The EUT shall meet the acceptance criteria for the functional test (see Clause 6), after the conditioning.

Radiated electromagnetic fields

There shall be no damage, malfunction or change of status due to the conditioning.

Flickering of an indicator during the conditioning is permissible, providing that there is no residual change in the EUT or any change in outputs, which could be interpreted by associated equipment as a change, and no such flickering of indicators occurs at a field strength of 3 V/m.

For components of CCTV systems, where the status is monitored by observing the TV picture, then deterioration of the picture is allowed at 10 V/m, providing.

(a) there is no permanent damage or change to the EUT

(e.g. no corruption of memory or changes to programmable setting etc.)

(b) at 3 V/m, any deterioration of the picture is so minor that the system could still be used; and

(c) there is no observable deterioration of the picture at 1 V/m.

The EUT shall meet the acceptance criteria for the functional test(see Clause 6), after the conditioning.

Fast transient burst / slow high energy voltage surge

There shall be no damage, malfunction or change of status due to the conditioning.

Flickering of an indicator during the application of the bursts is permissible, providing that there is no residual change in the EUT or any change in outputs, which could be interpreted by associated equipment as a change. The EUT shall meet the acceptance criteria for the functional test (see Clause 6), after the conditioning.

Slow high energy voltage surge

There shall be no damage, malfunction or change of status due to the conditioning.

Flickering of an indicator during the application of the surges is permissible, providing that there is no residual change in the EUT or any change in outputs, which could be interpreted by associated equipment as a change. The EUT shall meet the acceptance criteria for the functional test (see Clause 6), after the conditioning.

Conducted RF immunity

There shall be no damage, malfunction or change of status due to the conditioning.

Flickering of an indicator during the conditioning is permissible, providing that there is no residual change in the EUT or any change in outputs, which could be interpreted by associated equipment as a change, and no such flickering of indicators occurs at $U_0 = 130 \text{ dB}\mu\text{V}$.

For components of CCTV systems, where the status is monitored by observing the TV picture, then deterioration of the picture is allowed at $U_0 = 140 \text{ dB}\mu\text{V}$, providing

(a) there is no permanent damage or change to the EUT

(e.g. no corruption of memory or changes to programmable settings, etc.)

(b) at $U_0 = 130 \text{ dB}\mu\text{V}$, any deterioration of the picture is so minor that the system could still be used, and

(c) there is no observable deterioration of the picture at $U_0 = 120 \text{ dB}\mu\text{V}$.

The EUT shall meet the acceptance criteria for the functional test(see Clause 6), after the conditioning.

Voltage dip/interruption / Voltage variation

There shall be no damage, malfunction or change of status due to the conditioning.

Flickering of an indicator during the conditioning is permissible, providing that there is no residual change in the EUT or any change in outputs, which could be interpreted by associated equipment as a change. The EUT shall meet the acceptance criteria for the functional test(see Clause 6), after the conditioning.

Mains supply voltage variations

There shall be no damage, malfunction or change of status due to the different supply voltage conditions. The EUT shall meet the acceptance criteria for the functional test(see Clause 6), during the conditioning.

APPENDIX C

Measurement Uncertainty

1. Conducted Emission

2. Radiated Emission

1. Conducted Emission

Input Quantity	Probability Distribution	Probability Distribution (dB)		Standard
		9 kHz – 30 MHz		
Cable loss(RG400)	Standard Deviation(SD)	± 0.061		10 th measurement
Receiver corrections; -Sine wave voltage -Pulse amplitude response -Pulse repetition rate response	Rectangular ($\sqrt{3}$) Rectangular ($\sqrt{3}$) Rectangular ($\sqrt{3}$)	± 0.17 ± 0.02 ± 0.58		Cal. Report Cal. Report Cal. Report
LISN corrections (ENV216) ; -Voltage division factor	Normal (k = 2)	± 0.09		Cal. Report
Mismatch ; - Receiver VRC* : $\Gamma_i = 0.09$ -LISN VRC : $\Gamma_g = 0.14(150\text{kHz})$ = 0.05(30MHz) - Uncertainty: $20\log(1 \pm \Gamma_i \Gamma_g)$	U-type($\sqrt{2}$)	± 0.89		Cal. Report
System Repeatability	Standard Deviation(SD)	± 0.28		10 th measurement
Combined measurement uncertainty Uc(y)	Normal	+ 0.73 - 0.73		
Expanded measurement uncertainty (95%,Confidence level,k = 2)dB	Normal(k = 2)	+ 1.46 - 1.46		

2. Below 1 GHz Radiated Emission

Input Quantity	Probability Distribution	Probability Distribution (dB)		Standard
		Trilog		
		3m	10m	
Antenna Factor (VULB 9160)	Normal (k = 2)	30 MHz – 1 GHz ± 2.00	30 MHz – 1 GHz ± 2.00	ANT Cal. uncertainty
Cable loss (HFB-5010/HFC12D)	Standard Deviation(SD)	± 0.14	± 0.14	10 th measurement
Receiver corrections; -Sine Wave Voltage -Pulse amplitude response -Pulse repetition rate response	Normal (k = 2) Normal (k = 2) Rectangular($\sqrt{3}$)	± 0.17 ± 0.58 ± 1.50	± 0.17 ± 0.58 ± 1.50	Cal. Report Cal. Report CISPR16-4-2
Antenna Directivity	Rectangular($\sqrt{3}$)	± 1.00	± 1.00	CISPR16-4-2
AF Height Dependence	Rectangular($\sqrt{3}$)	± 0.10	± 0.10	CISPR16-4-2
Phase Center Location	Rectangular($\sqrt{3}$)	± 0.20	± 0.20	CISPR16-4-2
Separation Distance	Rectangular($\sqrt{3}$)	± 0.30	± 0.30	CISPR16-4-2
Uncertainty of Site	Triangular($\sqrt{6}$)	± 2.97	± 2.97	NSA
Mismatch ; - Receiver VRC* : $\Gamma_i = 0.09$ -ANT. VRC : $\Gamma_g = 0.09$ - Uncertainty: $20\log(1 \pm \Gamma_i \Gamma_g)$	U-type ($\sqrt{2}$)	± 0.54	± 0.54	CISPR16-4-2
Pre-amp.	Normal (k = 2)	± 0.14	± 0.14	Cal. Report
System Repeatability	Standard Deviation(SD)	± 0.60	± 0.60	10 th measurement
Combined measurement uncertainty Uc(y)	Normal	+ 1.97 - 1.97	+ 1.97 - 1.97	
Expanded measurement uncertainty (95%,Confidence level,k=2)dB	Normal(k = 2)	30 MHz – 1 GHz + 3.94 - 3.94	30 MHz – 1 GHz + 3.94 - 3.94	

Note:VRC(Voltage Reflection Coefficient)

3. Above 1 GHz Radiated Emission


Input Quantity	Probability Distribution	Probability Distribution (dB)	Standard
		HORN	
Antenna Factor (ETS 3115)	Normal (k=2) (normal)	1 GHz - 6 GHz ± 1.00	ANT Cal. uncertainty
Cable loss (SUHNER MULTIFLEX microwave cables)	Standard Deviation(SD)	± 0.32	10 th measurement
Receiver corrections; -Sine Wave Voltage -Pulse amplitude response -Pulse repetition rate response	Normal (k = 2) Normal (k = 2) Rectangular($\sqrt{3}$)	± 0.17 ± 0.58 ± 1.50	Cal. Report Cal. Report CISPR16-4-2
Antenna Directivity	Rectangular($\sqrt{3}$)	± 1.00	CISPR16-4-2
AF Height Dependence	Rectangular($\sqrt{3}$)	± 0.10	CISPR16-4-2
Phase Center Location	Rectangular($\sqrt{3}$)	± 0.20	CISPR16-4-2
Separation Distance	Rectangular($\sqrt{3}$)	± 0.30	CISPR16-4-2
Uncertainty of Site	Standard Deviation(SD)	± 0.13	SVSWR 10 th measurement
Mismatch ; - Receiver VRC* : $\Gamma_i = 0.09$ -ANT. VRC : $\Gamma_g = 0.09$ - Uncertainty: $20\log(1 \pm \Gamma_i \Gamma_g)$	U-type ($\sqrt{2}$)	± 0.54	CISPR16-4-2
Pre-amp.	Normal (k = 2)	± 0.60	Cal. Report
System Repeatability	Standard Deviation(SD)	± 0.34	10 th measurement
Combined measurement uncertainty $U_c(y)$	Normal	+ 1.73 - 1.73	
Expanded measurement uncertainty (95%,Confidence level,k=2)dB	Normal(k = 2)	1 GHz - 6 GHz + 3.46 - 3.46	

Note:VRC(Voltage Reflection Coefficient)


APPENDIX D

PHOTOGRAPHS

Conducted emission (Maximum emission configuration) / Recording mode (DC)



Conducted emission (Maximum emission configuration) / Recording mode (POE)





Conducted emission (Maximum emission configuration) _ TEL / Recording mode (DC)





Conducted emission (Maximum emission configuration) _ TEL / Recording mode (POE)





Radiated emission (Maximum emission configuration)-Below 1 GHz / Recording mode (DC)





Radiated emission (Maximum emission configuration)-Below 1 GHz / Recording mode (POE)



**Radiated emission (Maximum emission configuration) – Above 1GHz
/ Recording mode (DC)**




Radiated emission (Maximum emission configuration) – Above 1GHz
/ Recording mode (POE)



Harmonic Current/Voltage Variation and Flicking / Recording mode (DC)



Harmonic Current/Voltage Variation and Flicking / Recording mode (POE)




Electrostatic discharge / Recording mode (DC)




Electrostatic discharge / Recording mode (POE)



RF Electromagnetic Field / Recording mode (DC)



RF Electromagnetic Field / Recording mode (POE)



Electrical fast transients / Recording mode (DC)



Electrical fast transients / Recording mode (POE)




Surge / Recording mode (DC)



Surge / Recording mode (POE)



Conducted Disturbances, Induced by Radio-Frequency Fields / Recording mode (DC)




Conducted Disturbances, Induced by Radio-Frequency Fields / Recording mode (POE)




Main supply voltage dips, short interruptions / Recording mode (DC)



Main supply voltage dips, short interruptions / Recording mode (POE)



EUT



EUT



EUT



EUT





EUT





EUT



EUT



EUT



EUT

